



Floorcare

Supplied by Chemiclean Products
Authorised Distributor
Telephone: +44 (0)121-523 8833 / 0121-523 8844
Skype: chemiclean-uk
Fax: +44 (0)121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk
Quality and Service with a Smile!!!



Floors, Floors be

The development of floors and flooring materials within the broad range of commercial developments has been very pronounced over the past decade.

Not only have floors become more exotic in both design and material selection but, equally, we all expect to see the floor maintained to any exceptionally high standard, literally sparkling clean, in high profile locations; super clean in the workplace and public space... just as we would expect in our own living space.

Single disc rotary floor machines constitute the very foundation of hard floor maintenance and by the correct selection of size, weight, speed and attachments you will be able to achieve standards of which you can be justly proud.



NPR1515



Beautiful Floors...

The Numatic LoLine, NuPower and NuSpeed machine ranges provide a selection of models and specifications to suit the majority of standard, and many specialized, applications ensuring highly efficient performance, excellent results and total operator satisfaction.

The old adage is as meaningful today as it always has been:-

“The Right Equipment for the Right Job will provide the Right Results...”

Floor Machines

Loline 332	4
Loline 415	5
NPR1515	6
NPR1523	7
NPR1530	8
NPR1545	9
NuSpeed	10
NuSpeed Large	11
NuSpeed Twin	12
NuSpeed Spraytec	13
NuSpeed Ultra	14

Accessories

Floor Accessories 15-17

NR1500

NLL415

Make sure you take the time to consider not only the needs of the application but also the needs and capabilities of the individuals whose job it will be to do the work involved. Good Selection will ensure Good Results

Twintec & Vario

For the full Twintec and Vario range, including accessories, see pages 20 - 35.





Slim Folded Profile



Powerful Motor



Selection of Brushes

LoLine NLL332

The Loline range of low profile floorcare machines has been developed to meet both the growing demand and need for a choice of models that are smaller in size, lighter in weight, compact and convenient in storage whilst, at the same time, being quick and easy to use without loss of performance.

The new Loline rotaries have been designed specifically to meet this demand and raise the handling and performance levels to an exceptional user friendly standard, be it for men or women operators.

The smallest model in the Loline range can claim performance characteristics equal to that of bigger, more industrial machines, yet with an ease and speed of operation that will immediately endear it to any operator.

A full range of 33cm (13") brushes and pad drives allows the machine to be used for all of the primary floorcare functions.



Polyscrub Heavy Duty Scrubbing Brush

200rpm

With a total weight of only 18Kg and an operating speed of 200rpm, the machine literally exudes convenience and versatility. Fast and user friendly like never before.



NLL332



Full range of brushes and pad drives. See page 15.


Motor	Deck	Brush	Pad	Power	Speed	Range	Weight	Size
400W	330mm	330mm	330mm	230V AC 50Hz	200rpm	32m	18Kgs	1145 x 330 x 540mm

Photographs may include extra items for illustration purposes only.





Large Solution Tank



Selection of Pads and Brushes



Slim Folded Profile

LoLine NLL415

With the increasing demand and need for higher standards of cleanliness, the Lolines will put truly usable power in the hands of the operator, yet with a level of convenience that cannot fail to impress and, subsequently, to improve both efficiency and the final results.

The Loline 415 model embodies all of the many unique features of the 332 but is suitable for a range of larger 40cm (16") brushes and 36cm (14") floor pads.


With this machine running at an operating speed of 150rpm it is a genuine taskmaster, satisfying a whole host of floor maintenance needs, be it polishing or scrubbing.



150 rpm

Polyscrub Heavy Duty Scrubbing Brush

The exceptional ease of use cannot fail to impress any user, and even more so where extended operating hours are part of the daily routine. The solution tank system allows for easy use and compact storage, whilst its unique universal filling system adds further to operator convenience.



Full range of brushes and pad drives. See page 15.

NLL415

Motor	Deck	Brush	Pad	Power	Speed	Range	Weight	Size
400W	400mm	400mm	360mm	230V AC 50Hz	150rpm	32m	18.5Kgs	1145 x 360 x 540mm

Photographs may include extra items for illustration purposes only.





Simple to Use Operator Handle



Convenient Control Housing Access



Large Solution Tank



Optional Hi-Dust Filter



150rpm Gearbox

NuPower *NPR1515*

With its enhanced power and performance the NPR-1515 provides a genuine “workhorse” that will take almost anything in its stride.

The full 1500 Watt motor unit packs almost 50% more power than normally required and this power is transmitted to the floor through our long established 150rpm, oil filled, low load, planetary gearbox.

The big advantage of excess power is to provide scope for many additional tasks where the excess power is both advantageous and needed.

Crystallization, floor sanding, scarifying, adding 10 kg or 20 kg of extra weight, all of these can be accommodated with this standard machine.

All NuPower models also incorporate our exclusive ATC (Automatic Torque Control system) that monitors operational load and boosts torque as required to provide consistent performance and varying load conditions. With a full range of brushes, pad drives and accessories, you have in the NPR-1515 a machine you can trust, day in day out, year after year.

Optional Hi-Dust filters may be specified for machines used in exceptionally “dust laden” environments.

Also available in 115V/120V specification.



Motor	Pad	Brush	Power	Speed	Vacuum	Range	Weight	Size
1500W	400mm	450mm	230V AC 50Hz	150rpm	Optional DT130	32m	30Kgs	1185 x 580 x 450mm

Photographs may include extra items for illustration purposes only.



Simple to Use Operator Handle



Large Solution Tank



Full Brush Range



Optional 10Kg Additional Weight



230rpm Gearbox

NuPower NPR1523

The universal NPR-1523 is truly two machines in one, providing the optimum balance between the two primary functions of scrubbing and polishing floors. With its oil filled planetary gearbox providing a working speed of 230 rpm, this is 50% more speed than the NPR-1515. You scrub faster, and when it comes to polishing, the speed is a vital ingredient to improved results.

With the 1500 Watt power specification “drop on” weights can be added at any time, scrubbing even better and polishing like a dream.

As with all NuPower models the NPR-1523 incorporates ATC, Automatic Torque Control, as standard; providing exceptionally consistent performance under varying load conditions.

This is truly the ideal choice for somebody who needs the best of both worlds... a one speed machine that not only does the job of two, but does it better.

Also available in 115V/120V specification.



Motor	Pad	Brush	Power	Speed	Vacuum	Range	Weight	Size
1500W	400mm	450mm	230V AC 50Hz	230rpm	Optional DT130	32m	30Kgs	1185 x 580 x 450mm

Photographs may include extra items for illustration purposes only.





Simple to Use Operator Handle



Dustrol Vacuum Unit



Optional 10Kg Weight



Dust Collector Ring



300rpm Gearbox

NuPower NPR1530

Where polishing is the single purpose of a floor machine then the NPR-1530 is an ideal selection.

We have shown in our main illustrations the machine fitted with our full power Dustrol vacuum system which acts to vacuum simultaneously with the polishing function, ensuring the highest of dust-free standards. Unlike the NPR-1523 this is a polishing machine only and is not suitable for wet scrubbing operations.

With the added 1500 Watt specification the NPR-1530 can be used for spray cleaning and its ATC, Automatic Torque Control, provides superb performance in this mode.

Polish floors, whatever the surface, with or without vacuum, using brushes or pads, with or without extra weight and with the added option of SprayTec cleaning.



Also available in 115V/120V specification.

Motor	Pad	Brush	Power	Speed	Vacuum	Range	Weight	Size
1500W	400mm	450mm	230V AC 50Hz	300rpm	Optional DT130	32m	30Kgs	1185 x 580 x 450mm

Photographs may include extra items for illustration purposes only.





Simple to Use Operator Handle



Optional SimpliSpray



Easy Access to All Operational Controls



Optional Hi-Dust Filter



450rpm Gearbox

NuPower NPR1545

To run consistently at Xtra high speeds needs the full NPR-1545 specification and the results truly show what it's made of.

Here you have a burnisher with a full 1500 Watt power unit... an oil filled 450 rpm planetary gearbox... ATC Automatic Torque Control that monitors operation and boosts torque as required;

ensuring constant operational performance. ATC is particularly useful when spray cleaning at these higher speeds.

There is a selection of brushes and pad drives, allowing a complete selection of polishing heads to achieve the desired results on a whole variety of floor surfaces with a whole range of different chemical preparations.

The machine is particularly applicable to high-gloss finishes and, similarly, will be found to be exceptional when dry pad stripping a floor and burnishing after resealing the surface - all with the one machine.

Optional Hi-Dust filters may be specified for machines used in exceptionally "dust laden" environments.



Motor	Pad	Brush	Power	Speed	Vacuum	Range	Weight	Size
1500W	400mm	450mm	230V AC 50Hz	450rpm	Optional DT130	32m	30Kgs	1185 x 580 x 450mm

Photographs may include extra items for illustration purposes only.





Simple to Use Operator Handle



Cable Secure



Cable Release



Mains Plug



Heavy-Duty Gearbox

NuSpeed NR1500 S, M & H

NuSpeed is a new generation of floor maintenance machines which is only made possible by a new drive system, introducing a dramatic 50% increase in power output.

The unique NuSpeed design concept means that for a machine of such compact proportions, an increase to 40kg in the operating weight can be achieved within the standard specification, with an optional additional 10kg if required... it has the power and weight that do the work and produce the results.

In addition to the power and performance, many extra operating features have been added, making this machine perhaps one of the most user friendly, hard working professionals, in the Floorcare business.

The NuSpeed series is now equipped, as standard, with performance enhancing ATC, Automatic Torque Control. A unique system that monitors operation and boosts torque as required to provide consistent performance under varying load conditions.

Available in 3 speeds, standard 150rpm Heavy Duty, medium 230rpm Universal and high 300rpm Spray Clean.


In today's Floorcare market the 230rpm universal is really two machines in one, with excellent and efficient performance be it scrubbing, polishing or spray cleaning.



Model	Motor	Disc	Brush	Power	Speed	Vacuum	Range	Weight	Size
NR1500S	1500W	400mm	450mm	230V AC 50Hz	150rpm	Optional DT130	32m	40Kgs	1250 x 580 x 460mm
NR1500M					230rpm				
NR1500H					300rpm				

Photographs may include extra items for illustration purposes only.





10Kg Weight



Cable Secure



Extra-Large Brush



Heavy-Duty Gearbox

NuSpeed *NRL 1500*

When it comes to large areas of floor maintenance or restoration there is no substitute for both size and weight.

The NRL uses a range of 550mm brushes or 500mm floor pads and is supplied as standard in a 40kg specification, fitted with the Automatic Torque Control System - designed to give constant performance under even the most arduous conditions.

In the standard 150rpm specification the NRL is a genuine 'workhorse' which, by virtue of its size, weight and drive system, will exhibit excellent handling characteristics in the majority of applications.

The Nuspeed series is now equipped as standard with performance enhancing "A.T.C", Automatic Torque Control. A unique system that monitors operation and boosts torque, as required, to provide consistent performance under varying load conditions.

The 'snap-on' 10kg standard weight can be easily removed, and replaced as required to suit various applications.

Fast and user friendly like never before.



NRL1500

Motor	Disc	Brush	Power	Speed	Vacuum	Range	Weight	Size
1500W	500mm	550mm	230V AC 50Hz	150rpm	Optional DT130	32m	40Kgs	1250 x 610 x 540mm

Photographs may include extra items for illustration purposes only.





NuSpeed Twin *NRT1530*

A true 2 x 2 of the Floorcare business with a hi-range and lo-range drive system, allowing an instant selection of speed between 150rpm and 300rpm to suit the need of the operator and a full 40kg professional operating weight as standard.

The Twinspeed function is particularly useful for those many applications where one machine must satisfy many different requirements within the working day and with the very real advantage of compact storage when not in use.

The Nuspeed series is now equipped as standard with performance enhancing "A.T.C", Automatic Torque Control. A unique system that monitors operation and boosts torque, as required, to provide consistent performance under varying load conditions.

If scrubbing large areas is the need at one particular time, you switch to lo-range 150rpm but, conversely, when floor polishing is the requirement then the hi-range setting doubles the speed, doubles the results and halves the polishing time.

The Twinspeed has superb power and performance and shares all the many professional features of the Nuspeed range.



Option Dustrol Vacuum System



Simple to Use Operator Handle



Large Solution Tank




Hi-Lo Switch



* Flexi Pad Drive System



An extensive range of accessories is available including; solution tank and Dustrol vacuum



systems as shown, all adding to the exceptional versatility of this design. Our Flexi Pad Drive* system is supplied as standard for 300rpm use. For brush applications select from our standard range see page 15, 16 & 17.

Motor	Disc	Brush	Power	Speed	Vacuum	Range	Weight	Size
1000W/ 1200W	400mm	450mm	230V AC 50Hz	150rpm 300rpm	Optional DT130	32m	40Kgs	1250 x 580 x 460mm

* Photographs may include extra items for illustration purposes only.





NuSpeed Spraytec *NRS450*

The majority of floor preparation and maintenance programmes require a machine with the optimum balance between weight and speed to achieve the desired results.

The Nuspeed NRS450 running at 450rpm and with an increased operating weight of 35Kg has been designed to provide a professional answer to applications where spray buffing is the obvious and cost effective solution to maintaining floors to a higher visual standard, which is often the need in high profile environments.

The Nuspeed series is now equipped as standard with performance enhancing "A.T.C", Automatic Torque Control. A unique system that monitors operation and boosts torque, as required, to provide consistent performance under varying load conditions.

When equipped with our spraykit this machine will provide a fully integrated system that is not only user friendly but equally floor friendly, both getting exactly what is required – ease of handling on the one hand and an excellent floor finish on the other.

The Spraytec system will provide, long and reliable service and results you will be proud of.



Optional SimpliSpray System



Cable Secure



Cable Release



Mains Plug



Heavy-Duty Gearbox



All NRS-450s are supplied as standard with our Spider Pad Drive. For brush applications select from our standard range see pages 15, 16 & 17.

Motor	Disc	Brush	Power	Speed	Vacuum	Range	Weight	Size
1500W	400mm	450mm	230V AC 50Hz	450rpm	Optional DT130	32m	35Kgs	1250 x 580 x 460mm

Photographs may include extra items for illustration purposes only.





NuSpeed Ultra *NRU1500*

The Nuspeed Ultra is unique in many respects, providing a burnishing machine that automatically adjusts to varying floor conditions whilst in use and that can be easily manoeuvred in even the most restricted areas.

If it's high lustre polish or wet look surfaces you are after, then look no further. The Ultraflo' incorporates our unique automatic floating head pad drive allowing a totally consistent performance between pad and floor and, by virtue of the increased power and pad pressure applied, a significant advance in the surface temperature is achieved: substantially improving the polishing results.

The Nuspeed series is now equipped as standard with performance enhancing "A.T.C", Automatic Torque Control. A unique system that monitors operation and boosts torque, as required, to provide consistent performance under varying load conditions.

This machine will also be very well received in the many congested applications as its functional characteristics are totally neutral; allowing effortless operation and control even in the most confined of locations.

The Dustrol vacuum system can easily be retrofitted providing an exceptional vacuuming/polishing combination; resulting in not only highly polished but also fully vacuumed floors... doing two jobs at once really does make sound economic sense!



Simple to Use Operator Handle



Option Dustrol Vacuum System



Hi-Tech and Robust



Front Support Wheel



Motor	Disc	Brush	Power	Speed	Vacuum	Range	Weight	Size
1500W	400mm	400mm	230V AC 50Hz	1500rpm	Optional DT130	32m	32Kgs	1250 x 660 x 460mm

Photographs may include extra items for illustration purposes only.



Loline 332/415 Accessory



1


FMA-606101 NLL Solution Tank

NLL415 Accessories




6

FMA-606102 400mm Union Mix Polish Brush



7

FMA-606108 400mm Nyloscrub Brush



8

FMA-606105 400mm Polyscrub Brush



9


FMA-606112 360mm Nuloc Pad Drive Board

NLL332 Accessories




2

FMA-606104 330mm Union Mix Polish Brush



3

FMA-606556 330mm Nyloscrub Brush



4


FMA-606033 330mm Polyscrub Brush



5

FMA-606111 330mm Nuloc Pad Drive Board

Floorcare Accessories



10

FMA-606890 NPR Solution Tank



11

FMA-606077 NPR 10Kg Weight



12

FMA-606178 NPR Dustrol Kit (Blue)



13


FMA-606615 NPR Optional Spraytec Kit



14

FMA-606360 NuSpeed Optional 400mm Brush Deck (grey)

FMA-606187 NPR Optional 400mm Brush Deck (blue)



15

FMA-606361 NuSpeed Standard 450mm Brush Deck (grey)

FMA-606188 NPR Standard 450mm Brush Deck (blue)



16


FMA-606362 NuSpeed Optional 500mm Brush Deck (grey)

FMA-606189 NPR Optional 500mm Brush Deck (blue)

Photographs may include extra items for illustration purposes only.



Floorcare Accessories



FMA-606084 NS/NR Solution tank



FMA-606056 NR Dustrol Kit (Grey)



FMA-606054 NR Optional Spraytec Kit



FMA-606113 NuSpeed extra external 10Kg Weight for NR1500S (40Kg to 50Kg).




FMA-606363 NRS-450 Standard 450mm Brush Deck with 5Kg Extra Weight



FMA-606079 NR/NPR Dustrol Control Brush Ring (also standard with Dustrol Kits)



FMA-606202 450mm Union Mix Polish Brush



FMA-606203 450mm Polyscrub Brush



FMA-606204 450mm Nyloscrub Brush



FMA-606206 400mm Nuloc Pad Drive Board



FMA-606700 400mm Porcupine Pad Holder



FMA-606305 FT 450/1 Heavy Duty Scrubbing/Stripping Brush



FMA-606306 450mm Longlife Brush



FMA-606307 FT 450/3 Longlife Light Scrubbing Brush



FMA-606308 FT 450/4 High Lustre Polish Brush



FMA-606087 Spider Drive universal High-Speed Polishing Brush



FMA-606086 Spider Drive High-Speed Short Trim Burnishing Brush



FMA-606078 Spider High-Speed pad drive




FMA-606088 Spider Drive high-speed long life polishing brush



FMA-606857 Flexi-Pad Drive for use with top quality pads

Photographs may include extra items for illustration purposes only.

NRL Accessories



37

FMA-606028 550mm Polyscrub Brush




38

FMA-606550 550mm Nyloscrub Brush




39

FMA-606115 550mm Union Mix Polish Brush



40

FMA-606551 550mm Longlife Brush



41


FMA-606034 500mm Nuloc Pad Drive Board

Specialised Accessories




42

FMA-606207 400mm Wire Scarifying Brush



43

FMA-606834 Replacement 6 Segments for above



44

FMA-606626 360mm Porcupine Pad Drive Board



45

FMA-606209 400mm Sandotex Disc Drive



46

FMA-606208 400mm Carbotex Grinding Disc



47

FMA-606835 Replacement 3 Silicon Carbide Discs for above



48

FMA-606211 400mm Heavy Duty Scarifying Disc - Spirotex 6 head



49

FMA-606836 Replacement 6 Spirotex Head Units for above



50

FMA-612002 20m Cable Roll Extension UK
FMA-612003 20m Cable Roll Extension Euro

Woodcare Accessories




51

FMA-606620 400mm Airo Drive Board



52

FMA-606130 Airo-Prep: Pre-Sand Pad (x5)



53

FMA-606131 Airo-Prep: Sanding Disc 40 Grit (x10)
FMA-606132 Airo-Prep: Sanding Disc 60 Grit (x10)
FMA-606134 Airo-Prep: Sanding Disc 80 Grit (x10)
FMA-606135 Airo-Prep: Sanding Disc 100 Grit (x10)
FMA-606136 Airo-Prep: Sanding Disc 120 Grit (x10)
FMA-606137 Airo-Prep: Sanding Disc 150 Grit (x10)



54

FMA-606142 Airo-Dust: Dusting Disc (x5)



55

FMA-606138 Airo-Pol: Polipad Grade 600 (x5)
FMA-606139 Airo-Pol: Polipad Grade 1500 (x5)
FMA-606140 Airo-Pol: Polipad Grade 1800 (x5)
FMA-606141 Airo-Pol: Polipad Grade 2000 (x5)



56

FMA-606093 Airo Starter Pack (1 Set)
FMA-606093 Airo Starter Pack inc. Airo Drive Board

Photographs may include extra items for illustration purposes only.