


CHEMICLEAN PRODUCTS

BOX 2487, HOCKLEY, BIRMINGHAM, B18 5JN
Telephone No. 0121-523 8833 Fax No. 0121-554 1137

Over 30 Years Experience
of serving Customer's requirements

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



Special Offers
are available from
www.chemiclean.co.uk

Price List on Page 3

Quality products for

GARAGE & TRANSPORT

Manufacturers and Distributors of
Cleaning and Maintenance Products
Paper Products
Wipers

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

Why buy from Chemiclean Products?

We are a company specialising in Cleaning and Maintenance Products. We serve a variety of different organisations, for example the Building Industry, Bus and Coach Companies, Car Valeters, Food and Catering, Electrical, Hotels, Jewellery, Nursing Homes, Restaurants, Schools, Colleges and Universities, Sports and Health Centres, Engineering and Transport Industries.



We have over 30 years experience in supplying customers needs, this includes some of the well-known National companies and High Street brand names. Our aim is to provide a unique service, providing our own quality products, free friendly technical expertise to customers, together with a fast reliable nationwide delivery service.

We are members of the British Institute of Cleaning Science and can provide full Technical Data Sheets and Health & Safety information on all our products.

**PO BOX 2487
HOCKLEY
BIRMINGHAM
B18 5JN**

**Tel: 0121 523 8833
Fax: 0121 554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk**

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS


Garage & Transport Mini Price List November 2009

	<u>Pack Size</u>	<u>Price per litre</u>
BIOCHEM Multipurpose Cleaner	5 ltr	£2.10
ECO BLEACH 4%	5 ltr	£1.00
ECO THICK BLEACH 10%	5 ltr	£1.28
CLEAR Windscreen Wash Additive	5 ltr	£2.47
CHASSIS KLEEN Heavy Duty Steam Cleaner	25 ltr	£1.76
Cold Tank Degreaser	25 ltr	£3.17
DISPERSE Oil and Stain Remover	25 ltr	£2.05
LEMON PINE GEL Floor Cleaner	5 ltr	£1.91
MAESTRO Liquid Hand & Body Soap	5 ltr	£2.22
MERLIN 643 Upholstery Cleaner	5 ltr	£1.98
Pine Disinfectant	5 ltr	£1.77
RELEASE Penetrating Oil	5 ltr	£2.83
SEALSTRIP GEL Paint Stripper	5 ltr	£6.60
SECOND SKIN Barrier Cream	5 ltr	£3.23
SPARKLE Neutral Detergent	5 ltr	£1.35
SPARTAN Traffic Film Remover	25 ltr	£1.54
	100 ltr	£1.39
	210 ltr	£1.35
TFR92 Economy Traffic Film Remover	25 ltr	.99p
	100 ltr	.85p
	210 ltr	.70p
TITAN Heavy Duty Cleaner and Degreaser	25 ltr	£2.34
TRIDENT RTU Ready to Use Engine Cleaner	25 ltr	£1.48
VANISH 643 Heavy Duty Cleaner	5 ltr	£1.98
XP1001 Electrical Cleaner & Degreaser	25 ltr	£2.88
XP1005 Premium Gunwash Thinners	25 ltr	£1.73
XP2003 Panel Wipe Cleaner & Solvent Degreaser	25 ltr	£2.12

**Minimum Order £25.00 Carriage Paid All prices plus V.A.T.
Discounts available for quantities over 70 litres/3 cases of each product**

P.T.O.

Telephone No. 0121-523 8833
 Fax No. 0121-554 1137
 Email: sales@chemiclean.co.uk
 Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

Garage & Transport Mini Price List November 2009

		<u>Price per tub</u>
AZTEC Heavy Duty Beaded Hand Cleaner	15 ltr	£28.82
SPA-FRESH Toilet Cleaner	12 x 1ltr	£29.65
SUPREME Heavy Duty Citrus Beaded Hand Cleaner	12 x 1ltr	£33.00
SPA-CLENSE Toilet Descaler	12 X 1 Litre	£29.90
TORNADO White Paste Hand Cleaner	15 ltr	£36.83
<u>Aerosol Products</u>		
Airfreshner - Pot Pourri	12 x 400ml	£39.67
Alum. High Temperature Lube	12 x 400ml	£54.69
Barrier Cream	12 x 400ml	£44.12
Copper High Temperature Lube	12 x 400ml	£54.39
Glass & Mirror Cleaner	12 x 400ml	£30.72
Heavy Duty Degreaser	12 x 400ml	£43.54
High Wax Furniture Polish	12 x 400ml	£35.16
PTFE Graphite Dry Lubricant	12 x 400ml	£54.00
Penetrating Oil	12 x 400ml	£39.24
Satin Black Paint	12 x 400ml	£44.73
Silicone Spray	12 x 400ml	£44.01
Silver Wheel Paint	12 x 400ml	£44.73
VDU Cleaner	12 x 400ml	£40.70
<u>Paper Products & Sundries</u>		
Standard Centrefeed Rolls White (6)	6 Rolls	£25.00
Standard Centrefeed Rolls Blue (6)	6 Rolls	£25.00
Jumbo T-Roll 2ply (6)	6 Rolls	£21.00
Mini T-Roll 2ply (12)	12 Rolls	£21.00
LUXI-SOFT Toilet Rolls 320 Sheet White (36)	36 Rolls	£14.46
Monster Rolls 2ply for Floor Stands (White)	2 Rolls	£30.48
(Blue)	2 Rolls	£30.48
Latex Disposable Gloves (1000 per Case)	Case	£43.00

Telephone No. 0121-523 8833
Fax No. 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

Manufacturers and Distributors

Garage and Transport Industry


Product Range

Brake and Clutch Cleaner
Carpet & Upholstery Cleaner
Chassis and Trailer Cleaners
Copper High Temperature Lubricant
Floor Cleaners and Heavy Oil Dispersants
Glass Cleaner
Hand Cleaners and Barrier Creams
Penetrating Oils and Specialised Lubricants
Steam Cleaner Additives and Traffic Film Removers
Wash and Wax Shampoos
Windscreen Wash Additive
Numatic Range of Vacuums and Carpet Cleaners
Paper Products: Workshop Rolls, Hand Towels and Toilet Rolls
Protective Clothing: Respirators, Masks, Overalls, Gloves, Safety Boots
Wipers
Workshop Consumables



TFR92 Traffic Film Remover

A concentrated blend of detergents specially formulated to remove traffic film, oil, grease and general soiling from all types of vehicles. Biodegradable, Non Toxic, Safe on painted surfaces. Can be diluted with 100 parts to 1 with water for economy and is very competitively priced.



Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk

Quality and Service with a Smile!!!

A selection from our Janitorial Equipment Range that includes Airfreshner Systems, Buckets, Platform Brushes & Brooms, Floor Pads, Mops and Mopping Equipment, Trolleys, Wet Floor Warning Signs, Window Cleaning and Floor Squeegees etc. If you cannot see what you require, that doesn't mean we don't stock it!!! Please telephone 0121-523 8833 or email sales@chemiclean.co.uk



Aerosol Product Range

Air Freshener (Pot Pourri Fragrance)	Air Freshener that removes stale and offensive odours
Aluminium High Temperature Lube	Gives superior lubrication to threads, providing maximum torque, minimising friction, eliminates pitting, rusting and seizure. Also repairs damaged threads.
Barrier Cream	Universal Barrier that can be used in various working conditions, protecting hands from water, oil, solvents, powders etc.
Copper High Temperature Lubricant	Copper High Temperature Anti-Seize Lubricant, can be used in a wide variety of applications, including bolts, studs, flanges, drilling equipment, dies, hinge pins, axles, pulleys and brake adjusters
Dashboard Trimsheen	Provides gloss finish on all Dashboards and vinyl car trims in one operation.
Glass & Mirror Cleaner	Cleans and polishes glass, windows and mirrors.
Heavy Duty Degreaser	Fast evaporating degreaser that removes Oil, Grease, and General grime from most surfaces including plastics.
High Wax Polish	A high gloss wax polish for all wood and vinyl finishes.
Satin Black Paint	Quick drying Satin Finish. Ideal for touching up scratches on automotive components.
Penetrating Oil	Can be used for a variety of maintenance tasks, such as freeing rusted nuts and bolts, freeing jammed lock mechanisms and separating metal connecting parts, which have become oxidised.
P.T.F.E. Graphite Dry Lubricant	High pressure graphite lubricant for the Automotive and Plant Hire Industries.
Silicone Spray (Heavy Duty)	Dry Lubricant and Mould Release Agent. Also provides gloss finish on all Dashboards and vinyl car trims in one operation
Silver Wheel Paint	Enhances Vehicle Wheels.
VDU Cleaner	Cleans computers, keyboards, TV and monitor screens, telephones, photostat and fax machines, printers and many other items of office equipment.

All Products in Large 400ml Aerosols

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

AUTOSOLV

BRAKE AND CLUTCH CLEANER

This product contains a specially formulated blend of fast evaporating solvents, specifically designed to clean vehicle brakes and clutches. It provides speedy and effective removal of dirt, grease, brake fluid, brake and clutch lining dust from vehicle clutches, brake drums, shoes, discs and callipers

Features

Versatile

Benefits

Will remove dust from brake and clutch lining dusts brake fluid, oil, grease, including grease spots from carpets, tar and glue

Safe

Cleans and quickly evaporates, leaving no residue. Also, safer to use than harmful chlorinated hydrocarbon solvents i.e Trichloroethylene

Directions for use

Spray liberally on the area to be cleaned, suitable for "wetting" and flushing brake and clutch dusts and removing grease, oil and brake fluid, before rapidly evaporating to leave no residue. Also, this product can be applied with lint free cloth to remove oil, grease, glue and tar

N.B. When cleaning brakes, test brake operation after cleaning

AUTOSOLV is available in 5 ltrs, 25 ltrs and 400 ml Aerosol

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

AZTEC

Heavy Duty Beaded Hand Cleaner

AZTEC is a fast acting viscous beaded hand cleaner made from a blend of soaps, skin friendly (surface acting) cleaning agents and water softeners, this makes **AZTEC** ideal for use in all industries

Features

Powerful

Benefits

AZTEC is a unique formulation, which removes oil, grease, paint, ink, lacquer, bitumen, tar and even the most stubborn dirt

Versatile

AZTEC works anywhere - from engineering workshops to print works

Safe

AZTEC contains no paraffin or aggressive solvents, thus dramatically reducing the risk of dermatitis

Economical

AZTEC can be used through a dispenser - so there is no waste or risk of cross infection

Directions For Use

Apply a small amount of **AZTEC** to the hands, working it gently in the hands concentrating on the ingrained dirt, then rinse hands in warm clean water

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

EXTRA STRONG BLEACH

STRONG CONCENTRATED EXTRA STRONG BLEACH is a powerful hypochlorite disinfectant which kills all known germs and destroys unpleasant odours by oxidation. It can be used for general disinfection of drains, toilets, sinks and waste bins

Features

Effective

Concentrated

Versatile

Biodegradable

Benefits

Kills all known germs

Has an available chlorine content of 10%

May be used for all general purpose disinfecting and for drains, toilets, sinks and lavatories, as well as for de-staining and bleaching

Will not effect the natural bacteria found in sewage systems

Directions for Use

Disinfection: For toilet bowls, waste pipes and outdoor drains - use as supplied. For work surfaces - dilute 1 part with 100 parts water and then sponge, mop or spray the surface

To remove stains from white fabric: Dilute 30mls in 5 litres of water. Soak items for 5-15 minutes

To bleach white fabric: Dilute 10mls per 5 litres of water. Soak for up to 45 minutes

N.B. Do not use on coloureds, silk, wool or special finishes and do not allow undiluted bleach onto the fabric.

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

PROFESSIONAL BLEACH

STRONG CONCENTRATED BLEACH is a powerful hypochlorite disinfectant which kills all known germs and destroys unpleasant odours by oxidation. It can be used for general disinfection of drains, toilets, sinks and waste bins

Features

Effective

Concentrated

Versatile

Biodegradable

Benefits

Kills all known germs

Has an available chlorine content of 4.9%

May be used for all general purpose disinfecting and for drains, toilets, sinks and lavatories, as well as for de-staining and bleaching

Will not effect the natural bacteria found in sewage systems

Directions for Use

Disinfection: For toilet bowls, waste pipes and outdoor drains - use as supplied. For work surfaces - dilute 1 part with 100 parts water and then sponge, mop or spray the surface

To remove stains from white fabric: Dilute 30mls in 5 litres of water. Soak items for 5-15 minutes

To bleach white fabric: Dilute 10mls per 5 litres of water. Soak for up to 45 minutes

N.B. Do not use on coloureds, silk, wool or special finishes and do not allow undiluted bleach onto the fabric

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

THICK BLEACH

THICK BLEACH is a powerful hypochlorite disinfectant, which kills all known germs and destroys unpleasant odours by oxidation. It can be used for general disinfection of drains, toilets, sinks and waste bins

Features

Effective

Concentrated

Versatile

Biodegradable

Benefits

Kills all known germs

Has an available chlorine content of 7.5%

May be used for all general purpose disinfecting and for drains, toilets, sinks and lavatories, as well as for de-staining and bleaching

Will not effect the natural bacteria found in sewage systems

Directions for Use

Disinfection: For toilet bowls, waste pipes and outdoor drains - use as supplied. For work surfaces - dilute 1 part with 100 parts water and then sponge, mop or spray the surface

To remove stains from white fabric: Dilute 30mls in 5 litres of water. Soak items for 5-15 minutes

To bleach white fabric: Dilute 10mls per 5 litres of water. Soak for up to 45 minutes

N.B. Do not use on coloureds, silk, wool or special finishes and do not allow undiluted bleach onto the fabric

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

COLD TANK DEGREASER

Heavy Duty Degreaser and Carbon Remover

C.T.D. is a powder of chlorinated hydrocarbon solvents and other specialised additives blended together to facilitate the removal of heavy grease, tar, bitumen, carbon, carbonised oil many types of industrial paint coatings

Features

Non - Flammable

Easy to Use

Versatile

Economical

Safe

Benefits

C.T.D. contains no flammable solvents

A steel soak tank is all that is required to use **C.T.D.** No heat or agitation is necessary to effectively remove grease, oil, carbon etc

C.T.D. removes most industrial coatings including tar, bitumen, carbon, paint, heavy oil and grease **C.T.D.** is used to clean Carburettors, Engines, Gearboxes, Heat Exchangers and other machine parts

Items may be left to soak in **C.T.D.** for any period including overnight. They are then removed and simply rinsed by water, with either hosepipe, pressure washer or in a dip tank of water. The dip tank of **C.T.D.** can be used again and again for maximum economy

Can be used on both ferrous and non-ferrous metals including Aluminium

Directions for use

Use **C.T.D.** in a mild steel tank with approximately 3" of water seal to minimise evaporation. Immerse work into the tank at normal room temperatures (no heat required) for as long is required to remove contamination, before removing and rinsing off in clean water, with either a hose pipe, pressure washer or in a dip tank of water.

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

CHASSIS KLEEN

Heavy Duty Steam Cleaner & Chassis Wash Additive

CHASSIS KLEEN is the ultimate cleaner specifically formulated to remove the heaviest of soiling, grease and oil from heavy plant and commercial vehicles. **CHASSIS CLEAN** is ideal for cleaning chassis and fifth wheel prior to **M.O.T.** testing

Features

Economical

Benefits

CHASSIS KLEEN is highly concentrated and can be diluted with up to 100 parts water

Labour Saving

No mechanical agitation is required. Simply Spray on and leave for adequate contact time before rinsing away with clean water

Safe

CHASSIS KLEEN is non-toxic, non-flammable and contains no glycol solvents. **CHASSIS KLEEN** is safe on all metals and on most painted surfaces when used at recommended dilutions

Versatile

CHASSIS KLEEN has many applications for cleaning Commercial Vehicles, Trailers, Chassis and Fifth Wheel Prior to **M.O.T.** testing

Biodegradable

CHASSIS KLEEN is fully biodegradable in both hard and soft water

Directions for Use

Set Steam Cleaner or Pressure Washer Machine to dilute up to 100 parts with water. Then apply leaving adequate contact time to soak into particular heavy deposits, then rinse off with clean water. Because of the strength of **CHASSIS KLEEN** care should be taken to ensure correct dilution if applying to paintwork

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

CRYSTAL

Automobile Wash and Wax

CRYSTAL contains hard wearing ester waxes and a blend of surface active agents coupled with inorganic alkaline detergents. This blend is designed to remove efficiently surface dirt from all kinds of vehicles without affecting the paintwork. After rinsing, the vehicle surface will be left with a high gloss wax film which protects the surface against moisture and atmospheric weathering effects

Features

Effective

Benefits

CRYSTAL combines both very effective cleaning properties with long lasting wax protection

Efficient

CRYSTAL is extremely concentrated. It can be used at dilutions of up to 1 part per 100 parts of warm water, depending upon the degree of soiling

Safe

CRYSTAL is a lightly built synthetic detergent. It is completely safe to use on all painted surfaces. **CRYSTAL** will not affect glass, plastic, vinyl and other surfaces found on automobiles.

Biodegradable

CRYSTAL is fully biodegradable in hard and soft water

Directions for Use

Dilute **CRYSTAL** with between 50 and 100 parts of hot or cold water, depending upon the degree of soiling. Use this solution to clean the surface dirt from the automobile before rinsing the surface with cold water and either leave the surface to dry or use a leather. For automatic car washing machines, the manufacturers recommended dilutions for the machines should be followed. Dilution is normally at 1 part to 100 parts of water

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

DISPERSE

Tar and Oil Stain Remover

DISPERSE is a blend of hydrocarbon solvents and biodegradable emulsifiers, especially formulated to remove Tar, Oil and Grease, including oil stains from concrete floors and block paving.

Features

Versatile

Benefits

DISPERSE is an effective oil stain remover from concrete floors and block paving. Also removes tar from most hard surfaces including vehicle paintwork. It can also be used as a general purpose and soak tank degreaser for cleaning engines, gearboxes and other metal components, **DISPERSE** particularly useful where pollution considerations are paramount.

Biodegradable

DISPERSE is fully biodegradable in both sea and fresh water of any hardness

Directions for Use

DISPERSE is used as supplied and can be applied by mop, brush or sprayer, then rinse with water after a suitable contact time. Also, can be used in a soak tank immersing components for a short period or overnight soak according to the degree of soiling. Safe on all metals including alloys.

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

MAESTRO

Hand and Body Soap

MAESTRO is a concentrated blend of surface active agents, oil and grease emulsifiers and skin moisturising agents with a fresh cologne fragrance

MAESTRO rapidly dissolves most industrial grease and grime, leaving the skin clean and supple without the solvent smell familiar in many other hand-cleaning products

Features

Effective

Benefits

MAESTRO is an effective hand cleaner which removes most kinds of industrial oils, dirt, grease and grime

Mild

MAESTRO removes soiling without drying the skin

Economical

Only a small amount of **MAESTRO** is required to remove even heavy soiling

Versatile

MAESTRO is ideal for use as a complete hand and body cleanser

Perfumed

The pleasant cologne fragrance in **MAESTRO** leaves the hands smelling fresh

Directions for Use

Apply a small amount of **MAESTRO** to the hands and rub to a lather. Rinse in warm water to leave the hands clean and fresh

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

MIRROR

Heavy Duty Glass Cleaner

Special blend of surfactants and grease removers with the addition of vinegar to clean glass surfaces including windows, windscreens, VDU and TV screens, leaving a sparkling smear - free finish

Features

Easy to Use

Smear - Free

Economical

Benefits

Spray on as supplied, polish off with a lint free cloth

Wipe away to leave the glass sparkling clean and smear - free

Only a small amount of **MIRROR** is needed to clean the dirtiest of surfaces

Directions for Use

Use **MIRROR** as supplied, spray onto the surface to be cleaned and wipe off with a lint free cloth

Specification

Appearance

Clear Liquid

Colour

Blue

Odour

Citrus

S.G. (20 deg C) < 0 deg C

Health and Safety

Essentially a non-hazardous product. Avoid spraying into the eyes. Wash splashes from the skin and eyes with water. Should irritation persist seek medical attention. Keep out of reach of children. **Do not** mix with any other chemicals

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

PINE DISINFECTANT

Is a concentrated disinfectant with a high dilution rate and can be used for a variety of cleaning and disinfecting operations, including floors and walls, drains, sinks and toilets. It contains a blend of phenolic bactericides, solubilised in natural soap and pine oil

Features

Powerful

Benefits

Is formulated to BS5197 (1976) Group PB and has a minimum Rideal-Walker coefficient of 6

Economical

Can be diluted with up to 100 parts water for normal disinfection

Pleasant to use

The natural pine oil contained in this disinfectant kills objectionable odours and helps maintain a healthy atmosphere in all areas

Residual Activity

The powerful phenolic bactericides continue to act in most circumstances for up to 24 hours, although for complete protection, regular disinfection is recommended

Biodegradable

Will not affect the natural bacteria found in sewage systems

Directions for use

Floors, Walls, Paintwork: For cleaning and disinfecting floors, paintwork, tiles and most hard surfaces, dilute with up to 100 parts of water and apply by mop, spray or sponge. Simply wipe on and wipe off

Linen and Towels: Dilute 1:100 parts with water in the final rinse

Air Purifier: Dilute 1:100 parts with water and use through a one pint sprayer, will destroy airborne bacteria, leaving the atmosphere purified and fragrant

Disinfection and Odour Control: For toilets, washrooms, drains, sinks, rubbish heaps, refuse bins, pour or spray as supplied, depending on the degree of soiling and odour

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

RELEASE

PENETRATING FLUID AND ANTI-CORROSION LUBRICANT

Release combines special penetrating agents with a blend of light lubricating oil, hydrocarbon solvents and surface active agents

Release quickly loosens rust and releases seized parts, at the same time, inhibiting corrosion to ease future maintenance

Features

Fast Acting

Versatile

Capillary Action

Directions for use

Spray **Release** onto the seized part. Allow a few minutes contact time to allow the solvents to penetrate and carry the lubrication between the sealed surfaces before attempting to release the parts. Badly seized components may require longer contact time or further application of **Release**

Health & Safety

Flammable Lubricant: Keep out of reach of children. Do not breathe spray. If swallowed, seek medical advice immediately and show container. Do not spray onto naked flame or any incandescent material.

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

SPA-FRESH

TOILET CLEANER AND MAINTAINER

SPA-FRESH cleans and disinfects toilets to leave surfaces hygienically clean and fragrant
SPA-FRESH is safe to use on all surfaces, including stainless steel.

Features

Effective

Benefits

Thick **SPA-FRESH** clings to surfaces removing dirt, limescale and algae leaving toilets and urinals sparkling clean.

Powerful Disinfectant

SPA-FRESH has an anti-microbial value of greater than 65. (BS 6471)

Deodorises

SPA-FRESH has a nordic pine fragrance and together with the disinfecting action, **SPA-FRESH** eliminates odours, leaving toilets and washrooms with a pleasant fresh fragrance.

Environment Friendly

SPA-FRESH is safe to use on all surfaces and will not affect the natural bacteria found in sewage systems or septic tanks

Versatile

Effective on both ceramic and stainless steel toilets

Directions for use

Simply direct under rim and squeeze or apply product evenly around the bowl. Leave for at least 20 minutes or overnight then flush clean

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

SPARKLE

NEUTRAL DISHWASH DETERGENT

SPARKLE combines a powerful blend of detergents with high levels of skin conditioning agents, which make it ideal for dish and pot washing as well as general hard surface cleaning

Features

Biodegradable

Economical

Skin Conditioners

Perfume

Effective

Streak-free Rinsing

Benefits

SPARKLE will not pollute drainage systems, fully biodegradable in both hard and soft water areas

SPARKLE is concentrated and can therefore be diluted with water

SPARKLE leaves hands soft

SPARKLE contains a pleasant citrus aroma

SPARKLE gives sparkling results

SPARKLE leaves dishes streak free, therefore no need to use unhygienic tea towel

Directions for use

Dishwashing: Dilute **SPARKLE** at a rate of up to 30 ml per 50 litre of hot water. **SPARKLE** will clean even the greasiest kitchen utensils which can then be drained without streaking

Walls, Floors and General Cleaning: Dilute **SPARKLE** at the rate of up 50:1(10ml to 5 litre) of hot water. Apply by mop or sponge, leave for up to 5 minutes, depending upon degrees of soiling, before rinsing off with clean water

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

SPARTAN

HEAVY DUTY TRAFFIC FILM REMOVER

SPARTAN is a concentrated blend of detergents and sequestrants specifically formulated to remove traffic film, oil, grease and general soiling from all types of vehicles

Features

Economical

Labour Saving

Safe

Versatile

Biodegradable

Benefits

SPARTAN is highly concentrated and can be diluted with up to 200 parts of water

No mechanical agitation is required. Simply spray on and leave for adequate contact time before hosing away with clean water

SPARTAN is non-toxic, non-flammable and contains no glycol solvents. **SPARTAN** is safe on all metals and on most painted surfaces when used at recommended dilutions

SPARTAN has many cleaning applications including transport vehicles, cars, agricultural and dairy machinery, traffic signs etc

SPARTAN is fully biodegradable in both hard and soft water

Directions for use

Light to medium soiling: Apply **SPARTAN** onto the surface to be cleaned using a steam cleaner or pressure wash machine. **SPARTAN** should be diluted with up to 200 parts of water at the nozzle. Spray either hot or cold onto the surface, working from the bottom up and in from the edges to avoid streaks. Leave for adequate contact time before rinsing away with clean water

Heavy Soiling: To remove heavy oil and grease deposits and for chassis cleaning, use **SPARTAN** diluted with up to 50 parts of hot or cold water

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

SPECTRUM

CONCENTRATED NEUTRAL DETERGENT

SPECTRUM is a highly concentrated neutral detergent designed to be used with maximum economy for all hand dishwashing and general cleaning operations

Features

Concentrated

Mild

Free Rinsing

Biodegradable

Benefits

Economical in use

Contains skin conditioners to leave hands soft

No need to use unhygienic tea towels

Will not pollute drainage systems

Directions for use

Hand Dishwashing: Use **SPECTRUM** at a dilution of up to 14mls per 50 litres of hot water. **SPECTRUM** can clean even the dirtiest kitchen utensils, which can then be left to dry without streaking

Walls, Floors & Paintwork: **SPECTRUM** can be diluted with up to 10mls per 10 litres of hot water depending upon the degree of soiling. Apply by mop or sponge before rinsing away with water. **SPECTRUM** can be safely used on all workable surfaces

Vehicle Cleaning: Dilute **SPECTRUM** with up to 200 parts of water depending on degree of soiling. Brush or sponge surface with solution before rinsing away with clean water.

SPECTRUM is neutral and will not affect paintwork

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET



TFR 92

Traffic Film Remover

TFR 92 is a concentrated blend of detergents and sequestrates, specifically formulated to remove traffic film, oil, grease and general soiling from all types of vehicles

Features

Economical

Labour Saving

Safe

Versatile

Biodegradable

Benefits

TFR 92 is highly concentrated and can be diluted with up to 100 parts of water

No mechanical agitation is required. Simply spray on and leave for adequate contact time before hosing away with clean water

TFR 92 is non-toxic, non-flammable and contains no glycol solvents. TFR 92 is safe on all metals and on most painted surfaces when used at recommended dilutions

TFR 92 has many cleaning applications including transport vehicles, cars, agricultural and dairy machinery, traffic signs etc

TFR 92 is fully biodegradable in both hard and soft water

Directions for use

Light to Medium Soiling: Apply TFR 92 onto the surface to be cleaned using a steam cleaner or pressure wash machine. TFR 92 should be diluted with up to 100 parts of water at the nozzle. Spray either hot or cold onto the surface, working from the bottom up and in from the edges to avoid streaks. Leave for adequate contact time before rinsing away with clean water

Heavy Soiling: To remove heavy oil and grease deposits and for chassis cleaning, use TFR 92 diluted with up to 30 parts of hot or cold water

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

TITAN

HEAVY DUTY CLEANER AND DEGREASER

TITAN is a highly concentrated solvent-free cleaner and degreaser containing a blend of non-caustic alkalis and versatile surface active agents, to remove grease, oil and other types of stubborn grime from a variety of surfaces. **TITAN** is safe to use on most hard surfaces clean and pleasantly perfumed

Features

Benefits

Economical

Can be diluted with up to 160 parts of water

Effective

Quickly removes grease, dirt and grime with minimum effort

Easy to Use

Can be applied by spray, mop or using an immersion cleaning technique

Pleasing Fragrance

TITAN removes stale and unpleasant odour

Safe

TITAN is non-caustic, non-acidic, solvent-free and non-flammable

Versatile

TITAN can be used in a variety of cleaning applications including concrete floors, plant and machinery, engine cleaning etc

Biodegradable

Will not pollute drainage systems

Directions for use

Light Cleaning and General Maintenance: Dilute **TITAN** with up to 160 parts water. Spray, mop or sponge onto all hard surfaces, including concrete, metals plastics and rubber. If necessary, scrub the surface before hosing away

Medium Soiling and Grease Removal: Dilute **TITAN** with up to 50 parts of water. Spray, mop or sponge **TITAN** onto surface, agitate if required and rinse off

Heavy Soiling and Polish Build Up: Dilute **TITAN** with up to 10 volumes of water. Spray, mop or sponge onto the surface, agitate if necessary and rinse off with clean water

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

TORNADO

White Viscous Paste Hand Cleaner

TORNADO is a fast acting viscous paste hand cleaner made from a blend of soaps, skin friendly (surface acting) cleaning agents and contains no aggressive solvents such as Paraffin or other petroleum based solvents to dry your hands. **TORNADO** has been specially formulated to remove Oil, Grease and Polishing Compound.

Features

Benefits

Powerful

TORNADO is a thick cream paste formulated from a blend of soaps and cleaning agents, that produce a rich lather, which removes Oil, Grease, Polishing Compound and most stubborn grime and dirt.

Versatile

TORNADO can be used on wet or dry hands in most industries.

Safe

TORNADO is a blend of soft soaps and skin friendly cleaning agents. **TORNADO** contains no paraffin or aggressive solvents that will dry your hands.

Can be used by people with hyper-sensitive skin reducing the risk of dermatitis.

Economical

TORNADO can be used through a dispenser - so there is no waste or risk of cross infection.

Directions For Use

Rub a small amount of **TORNADO** into the hands, then add small amount of water and wash hands creating a lather, then rinse hands in warm clean water.

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

TRIDENT 100

Concentrated Degreasing Fluid

TRIDENT 100 is a concentrated emulsifiable solvent degreaser, designed to quickly cut through grease and grime. TRIDENT 100 can be diluted with paraffin or white spirit, resulting in extremely low in-use costs

Features

Powerful

Benefits

The powerful blend of solvents rapidly cuts through very heavy deposits of grease and grime

Economical

Can be diluted with up to 10 parts of paraffinic solvent for maximum economy

Versatile

TRIDENT 100 can be used for general degreasing of engines, oils and grease on floors, metal parts, plant and equipment

Safe

TRIDENT 100 is non-caustic and non-alkaline, has no unpleasant fumes and is safe to use on most painted surfaces

Biodegradable

Completely biodegradable in both hard and soft water areas

Directions for Use

Normal Degreasing: Before use, dilute TRIDENT 100 with up to 10 parts of a suitable Paraffinic solvent i.e. white spirit, turps substitute, gas, oil etc. Even higher dilution are possible in many applications. TRIDENT 100 can be sprayed, mopped or poured onto the area to be cleaned, allowing a few minutes penetration time. Then hose off with water. TRIDENT 100 is also suitable for dip tank operations. Allow a suitable contact period before removing and hosing clean with water

Steam Cleaning: TRIDENT 100 can also be used through a pressure washer. Simply dilute with up to 10 parts of paraffinic solvent and use through the machine at a setting of 2 - 5% depending upon the degree of soiling

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

TROJAN SUPER

HEAVY DUTY TRAFFIC FILM REMOVER WITH WAX

TROJAN SUPER is a blend of powerful alkalis and surfactants, which enable the product to remove dirt, grease and traffic film, leaving the paintwork with a high shine and protection against the weather

Features

Economical

Benefits

TROJAN SUPER is highly concentrated and can be diluted with up to 100 parts of water

Labour Saving

No mechanical agitation is required. Simply spray on and leave for adequate contact time before hosing away with clean water

Safe

TROJAN SUPER is non-toxic, non-flammable and contains no glycol solvents. TROJAN SUPER is safe on all metals and on most painted surfaces when used at recommended dilutions

Versatile

TROJAN SUPER has many cleaning applications including transport vehicles, cars, agricultural and dairy machinery, traffic signs etc

Biodegradable

TROJAN SUPER is fully biodegradable in both hard and soft water

Directions for use

Light to medium soiling: Apply TROJAN SUPER onto the surface to be cleaned using a steam cleaner or pressure wash machine. TROJAN SUPER should be diluted with up to 100 parts of water at the nozzle. Spray either hot or cold onto the surface, working from the bottom up and in from the edges to avoid streaks. Leave for adequate contact time before rinsing away with clean water

Heavy Soiling: To remove heavy oil and grease deposits and for chassis cleaning, use TROJAN SUPER diluted with up to 50 parts of hot or cold water

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

VANISH 643

Heavy Duty Cleaner

VANISH 643 is a highly concentrated solvent-free cleaner and degreaser containing a blend of non-caustic alkalis and versatile surface active agents, to remove grease, oil and other types of stubborn grime from a variety of surfaces. **VANISH 643** is safe to use on most hard surfaces clean and pleasantly perfumed. **VANISH 643** will easily removes Metalised Floor Polishes, without the need for a neutralising agent.

Features

Effective

Benefits

Quickly removes grease, oil, dirt and grime with a minimum of physical effort.

Economical

Can be diluted with up to 60 parts of water for cleaning and up to 10 parts with water for polish stripping.

Fragrance

Pleasant lemon fragrance with no harsh solvents or Ammonia

Versatile

Cleans many washable hard surfaces in addition to removing old polish from polished floors.

Biodegradable

Completely biodegradable in both hard and soft water

Directions for use

Polish Removal: Dilute with up to 10 parts of hot water. Mop onto the floor allowing 5 minutes contact time before scrubbing the surface using a polishing machine fitted with a black pad. Remove the slurry either by mop or suction methods. Rinse the floor twice using clean water and allow the floor to dry before applying fresh polish.

Hard Surface Cleaning: Dilute with up to 60 parts of hot or cold water. Spray, mop or sponge onto surface. Leave for 5 minutes contact time before scrubbing or rinsing surface

N.B. **VANISH 643** should not be allowed to dry onto glass.

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

XP1001

ELECTRICAL & MULTI-PURPOSE SOLVENT DEGREASER

XP1001 is a fully inhibited fast evaporating solvent formulated to clean electrical equipment and other metal components. **XP1001** will remove oil, dirt and grime from all metals. i.e. Copper, Brass, Aluminium and Steel. **XP1001** can be applied by spraying or wiping using a lint free cloth

Features

Effective

Benefits

XP1001 cuts through oils, grease, dirt and grime before quickly evaporating to leave no residue

Versatile

Can be applied by spraying or wiping to clean all electrical parts, including motors, generators and windings. **XP1001** can also be used for general degreasing of metal components

Fully Inhibited

XP1001 contains effective inhibitors to protect the surface being cleaned

Toxicity

XP1001 has low levels of toxicity. Could be used as an alternative to Trichloethylene or other more toxic degreasing agents

Directions for use

Spraying & Wiping: Apply, **XP1001** to the electrical equipment by sprayer. **XP1001** will quickly degrease the article being cleaned, evaporating at a controlled rate to leave no residue. **XP1001** may also be applied by wiping using a lint-free cloth

Health & Safety: Fast evaporating solvent with a flash point below 21 Deg C. and is classified as a Highly Flammable Liquid

Store and use in accordance with the Flammable Liquid Regulations

PO BOX 2487
HOCKLEY
BIRMINGHAM, B18 5JN
Telephone: 0121-523 8833
Fax: 0121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk



British Institute of
Cleaning Science

Quality and Service with a Smile!!!

CHEMICLEAN PRODUCTS

TECHNICAL INFORMATION SHEET

SPA-CLENSE

CONCENTRATED TOILET DESCALER

SPA-CLENSE CONCENTRATED TOILET DESCALER combines highly active inorganic acids with wetting agents, resulting in a toilet cleaner which effectively de-scales, disinfects and deodorises in one simple operation

SPA-CLENSE CONCENTRATED TOILET DESCALER clings to surfaces removing scale and algae, eradicating odour-producing bacteria to leave toilets and urinals sparkling clean

Features

Powerful

Bactericidal

De-odorises

Applicator

Biodegradable

Directions for use

Simply spray onto areas to be cleaned, leave for a few minutes before rinsing off. Use daily to avoid scale build-up

N.B. Can cause discolouration on stainless steel surfaces

PO BOX 2487

HOCKLEY

BIRMINGHAM, B18 5JN

Telephone: 0121-523 8833

Fax: 0121-554 1137

Email: sales@chemiclean.co.uk

Website: www.chemiclean.co.uk

Benefits

Will clean even badly stained toilets and urinals, penetrating and removing lime-scale, incrustation, grease, algae and other stains

Independently tested to British Standard 6471 and has an anti-microbial value of 50

Contains a fresh lemon fragrance, which eliminates offensive odours to leave toilets and washrooms pleasantly, perfumed

Applicator enabling the operator to apply right under the rim

Fully biodegradable in both hard and soft water



British Institute of
Cleaning Science

Quality and Service with a Smile!!!