

Specialised Cleaning Products

Supplied by Chemiclean Products
Authorised Distributor
Telephone: +44 (0)121-523 8833 / 0121-523 8844
Skype: chemiclean-uk
Fax: +44 (0)121-554 1137
Email: sales@chemiclean.co.uk
Website: www.chemiclean.co.uk
Quality and Service with a Smile!!!

The Power to Clean up Every time

2009 Catalogue

Did you know Numatic International has a department dedicated to specialist cleaning applications?

From cleaning up spillages to maintaining floor surfaces, Numatic specialised caters for it all. Professional results from professional equipment that's made to last.



SSIVD1800AP-2 swarf / coolant



SNVD752 cyclonic cleaner



WV470 S/C swarf/coolant vac



NV750 workshop utility

All of our specialist equipment is custom manufactured in our own workshops to a standard you would come to expect from an international company.

For further information on how we can help with your cleaning requirements

Contact the Specialised department

Numatic International Limited, Chard, Somerset, TA20 2GB

Tel:+44 (0)1460 68600. Direct dial:+44 (0)1460 269401

Fax: +44 (0)1460 269214

Introduction

The Specialised Product department at Numatic International has now been in operation for a period of 19 years, during this time we have been able to offer a service to our many customers for “bespoke” products of many different shapes and sizes, that are able to work in a multitude of “specialist environments”. Our focus and dedication has led to a range of products that give outstanding results every time.

This year our catalogue has been changed, each product has been placed into individual categories to make individual selection far easier with detailed information for each product, there is even a list of optional upgrades offered, enabling you to customise each product to suit your individual requirements.

All of our specialised products are now colour coded and this is presented throughout the guide, dry pick up products are coded red. Hazardous products are coded yellow and all wet pick up products are coded blue.

We hope you enjoy our “new look” catalogue and look forward to hearing from you soon.

Specialised Workshop Utility Vacuum Range

- 5) XP 200-s Workshop Utility Vacuum
- 6) XP 200-s Optional Upgrades



New Product

- 7) NV 750-s Workshop Utility Vacuum
- 8) NV 750-s Optional Upgrades



- 9) NVD 750-s Workshop Utility Vacuum
- 10) NVD 750-s Optional Upgrades



New Product

- 11) NVD 1500-s Workshop Utility Vacuum
- 12) NVD 1500-s Optional Upgrades



New Product

- 13) WMD 750-s Workshop Utility Vacuum
- 14) WMD 750-s Optional Upgrades



XP 200-s Workshop Utility Vacuum



*

Description

When it comes to extraction around the workshop the XP 200-s is sure to raise the standard. Sleek design, lightweight construction and a fully automatic electric power take off rated at 1800 watts (max) make this the ideal vacuum for the workshop or hobbyist. The vacuum utilises an 1100 watt motor making it suitable for most applications in and around the workshop.

But that's not all, the power take off is fully automatic giving you the freedom to concentrate on the job without having to turn the vacuum on or off each time a power tool is used. Simple yet effective!

Filtration is important, something not overlooked as each vacuum is fitted with a "Tritex" filter and now includes "HEPA-FLO" bags as standard. An accessory kit is included which is suitable for linking to most hand operated power tools with a vacuum attachment. Making it suitable for use straight out of the box.

Specifications

Power; 1100 watts (vacuum). Auxiliary power; 1800 watts max (power take off).
Suction; 240Mbar. Airflow; 40 litres per sec. Cable length; 10 metres.

* Illustration purposes only



601102



217067



604015

Kit Contents

1x 601102 2.9 mtr 32mm Vacuum Hose
1x 217067 Step Down Adaptor
1x 604015 NVM 1CH "HEPA-FLO" Bags (10)

XP 200-s Optional Upgrades

(Please see current price list if wishing to purchase the below items)



607304

607304 Kit A4

1 x Hose/Tool Adaptor 1 x 150mm Upholstery Nozzle
 1 x 240mm Crevice Tool 1 x 150mm Slide On Brush
 1 x 65mm Dusting Brush



607089

607089 Kit JVH 1


1 x 1.9m Bayonet Hose 1 x 300mm Combi Nozzle
 1 x Aluminium Tube Bend 1 x 240mm Crevice Tool
 2 x Aluminium Ext Tube 1 x 60mm Multi Angle Brush



607301

607301 Kit A1

1 x 2.4m Threaded Hose 1 x 300mm Floor Nozzle
 1 x S/S Tube Bend 1 x Kit A4 (as above)
 2 x S/S Ext Tube



601179



604015



217067

Additional Accessories

601179 300mm 90 Degree Rubber Nozzle With Brush
 604015 NVM 1CH "HEPA-FLO" Filter Bags (10)
 217067 Conical Step Down Adaptor



604165



604170



604309

Additional Filtration

604165 Tritex Filter
 604170 Microfresh Odour Control Filter
 604309 Secondary Microtex Filter

NV 750-s Workshop Utility Vacuum



Description

The NV 750 workshop utility vacuum incorporates many features making it ideal for most workshop applications. The compact design of the vacuum makes it suitable for storing under the work bench.

The vacuum incorporates a "Twinflo" vacuum motor providing more than enough power for most cleaning tasks. Each vacuum comes complete with a "Permatex" filter giving a filtration level down to "0.5 microns" which is further enhanced by the included pack of "HEPA-FLO" disposable bags.

Each vacuum is fitted with a 32mm - 51mm cyclonic entry suitable for connecting a range of specialist accessories. A 2.5 metre 51mm vacuum hose with rubber cuff up to 58mm and crevice tool are also supplied making the NV 750 workshop utility vacuum ready for use straight out of the box.

Specifications

Power; 1200 watts (max). Suction; 240 Mbar. Airflow; 45 litres per sec. Cable length; 10 metres. Hose diameter; 32mm-51mm. Capacity; 35L. Weight; 16.5 kg. Size; 740mm x 450mm x 400mm. Decibel level; 70.02 DBA.



603101



603917



604019

Kit Contents

- 1 x 603101 NVC 1B Hose
- 1 x 603917 Crevice Tool
- 1 x 604019 NVM 4BH HEPA-FLO Bags

NV 750-s Workshop Optional Upgrades

(Please see current price list if wishing to purchase the below items)

 <p>603140</p>	 <p>603142</p>	 <p>603919</p>	<p><u>Additional Accessories</u></p> <p>603140 152mm Rubber Brush With Soft Bristles 603142 130mm Rubber Gulper Nozzle 603919 305mm S/S Crevice Tool</p>
 <p>603116</p>		 <p>603331</p>	<p><u>Additional Accessories</u></p> <p>603116 One Piece Aluminium Floor Wand 603331 400mm "Widetrack" Brush/Rubber Nozzle</p>
 <p>604227</p>	 <p>604178</p>	 <p>603918</p>	<p><u>Additional Accessories</u></p> <p>604227 Clip On Chassis (fits to base of drum) 604178 Hose Carrier (fits to head assembly) 603918 610mm S/S Gulper/Scraper Tool</p>
 <p>604138</p>	 <p>604310</p>	 <p>604127</p>	<p><u>Additional Filtration</u></p> <p>604138 Two Stage Filter Set 604310 Secondary "Microtex" Filter 604127 HEPA Filter Module for Improved Filtration</p>
 <p>612001</p>	 <p>604151</p>	 <p>604019</p>	<p><u>Additional Accessories</u></p> <p>612001 "Extractopac" Auto/Manual Cable Reel 604151 Air Diffuser for Power Head 604019 NVM 4BH "HEPAFLO" Filter Bags (10)</p>

NVD 750-s Workshop Utility Vacuum



Description

When it comes to workshop applications coupled with unrivalled performance the NVD 750 workshop utility vacuum is in a league of its own. Many operational features are included within the package which will enable the user to link the vacuum to woodturning machinery or a hand operated power tool as required.

The head assembly incorporates two "Twinflo" vacuum motors providing ample power for all but the most demanding of applications. The drum assembly incorporates a 100mm cyclonic inlet connector with a 51mm reducer suitable for connecting hose sizes from 32mm up to 100mm, making this the perfect solution for workshop utility applications.

Also included is an accessory kit comprising of a 4 metre 100mm vacuum hose and 32mm 2.9metre vacuum hose, which can be linked to a hand operated power tool using the supplied step down adaptor. Action packed and ready to use.

A comment we're happy to share!

Specifications

Power; 2400 watts (max). Suction 240 Mbar. Airflow; 80 litres per sec.
Cable length; 10 metres. Hose diameter 100mm-32mm. Capacity 35L.
Weight; 18.8kg. Size; 740mm x 450mm x 400mm. Decibel level; 72.7 DBA.



613001



601102



217067



604019

Kit Contents

1x 613001 4 mtr 100mm Vacuum Hose
1x 601102 2.9 mtr 32mm Vacuum Hose
1x 217067 Step Down Adaptor
1x 604019 NVM 4BH "HEPA-FLO" Bags

NVD 750-s Workshop Optional Upgrades

(Please see current price list if wishing to purchase the below items)



613027



613011



0000-12

Additional 100mm Accessories

613027 100mm Gulper Nozzle

613011 100mm 4 metre Polyurethane Vacuum Hose

0000-12 100mm-32mm Reducer Cap



607384

607384 51mm Accessory Kit

1 x 4mtr Hiloflex Vacuum Hose 1 x 152mm Brush (Stiff)

1 x S/S 51mm Floor Gulper

1 x 400mm Brush Nozzle



607332

607332 38mm Accessory Kit

1 x 2.4mtr 38mm Vacuum Hose 1 x ABS Crevice Tool

1 x 3 Piece S/S Wand

1 x 65mm Brush

1 x 400mm Brush/Rubber Nozzle



604178



612001



604151



604019

Additional Accessories

604178 Hose Carrier (fits to head assembly)

612001 "Extractopac" Auto/Manual Cable Reel

604151 Air Diffuser for Power Head

604019 NVM 4BH "HEPAFLO" Filter Bags (10)



604128



604138



604310

Additional Filtration

604128 HEPA Filter Module for Improved Filtration

604138 Two Stage Filter Set

604310 Secondary "Microtex" Filter

NVD 1500-s Workshop Utility Vacuum



Description

Large capacity coupled with unrivalled performance make the NVD 1500 workshop utility vacuum “the answer” for today's industrial requirements. The head assembly incorporates two “Twinflo” vacuum motors providing ample power for all but the most demanding of tasks. The vacuum is fitted with a red “Filtrex” primary filter and a secondary “Permatex” filter as standard, with the option of fitting a “HEPA-FLO” disposable filter bag if required.

The drum assembly has a maximum capacity of 50 litres and incorporates a 100mm cyclonic inlet connector with a 51mm – 32mm reducer making this the perfect solution to most workshop applications. The accessory kit included with the workshop utility vacuum includes a 4 metre 100mm vacuum hose for linking to wood turning machinery and a 2.9 metre 32mm hose and step down adaptor for connecting to a hand operated power tool. A pack of disposable bags are also supplied. Fully kitted and ready to go straight from the box, the ultimate cleaning companion.

Specifications

Power; 2400 watts (max). Suction; 240 Mbar. Airflow; 80 litres per sec
Cable length; 10 metres. Hose diameter; 32mm-100mm. Capacity; 50L
Weight; 23kg, Size; Decibel level; 79.5 DBA



613001



601102



217067



604019

Kit Contents

1x 613001 4 mtr 100mm Vacuum Hose
1x 601102 2.9 mtr 32mm Vacuum Hose
1x 217067 Step Down Adaptor
1x 604019 NVM 4BH Open “HEPA-FLO” Bags

NVD 1500-s Workshop Optional Upgrades

(Please see current price list if wishing to purchase the below items)



613027



613011



0000-12

Additional 100mm Accessories

613027 100mm Gulper Nozzle

613011 100mm 4 metre Polyurethane Vacuum Hose

0000-12 100mm-32mm Reducer Cap



607384

607384 51mm Accessory Kit

1 x 4mtr Hiloflex Vacuum Hose 1 x 152mm Brush (Stiff)

1 x S/S 51mm Floor Gulper

1 x 400mm Brush Nozzle



607332

607332 38mm Accessory Kit

1 x 2.4mtr 38mm Vacuum Hose 1 x ABS Crevice Tool

1 x 3 piece S/S Wand

1 x 65mm Brush

1 x 400mm Brush/Rubber Nozzle



612001



501044



604019

Additional Accessories

612001 "Extractopac" Auto/Manual Cable Reel

501044 NV 1500 S/S Fully Mobile Chassis

604019 NVM 4BH "HEPAFLO" Filter Bags (10)



604128



604138



604310

Additional Filtration

604128 HEPA Filter Module for Improved Filtration

604138 Two Stage Filter Set

604310 Secondary "Microtex" Filter

WMD 750-s Wall Mounted Vacuum



Description

The WMD 750 wall mounted vacuum is intended for permanent siting on a load bearing wall, the vacuum incorporates many features including automatic emptying when the vacuum is switched off and easy disassembly for cleaning and maintenance.

The head assembly incorporates two "Twinflo" vacuum motors providing ample power for all but the most demanding of tasks. The vacuum is fitted with a red "Filtrex" primary filter and a secondary "Permatex" filter as standard, with the option of fitting an "Open HEPA-FLO" disposable filter bag if required to improve filter performance.

The drum assembly incorporates a 100mm cyclonic inlet connector making this the perfect solution to most workshop applications. The accessory kit included with the wall mounted vacuum includes a 4 metre 100mm vacuum hose for linking to a wood turning lathe, a 32mm 2.9 mtr vacuum hose which can be linked up to a hand operated power tool using the supplied step down adaptor.

Specifications

Power; 2400 watts (max). Suction; 240 Mbar. Airflow; 80 litres per sec.
Cable length; 10 metres. Hose diameter; 32mm-51mm. Capacity; 35L.
Weight; 13.76 kg. Size; 740mm x 450mm x 400mm. Decibel level; 79.5 DBA.



613001



601102



217067



604020

Kit Contents

1x 613001 4 mtr 100mm Vacuum Hose
1x 601102 2.9 mtr 32mm Vacuum Hose
1x 217067 Step Down Adaptor
1x 604020 NVM 5BH Open "HEPA-FLO" Bags

WMD 750-s Workshop Optional Upgrades

(Please see current price list if wishing to purchase the below items)



613027



613011



0000-12

Additional 100mm Accessories

613027 100mm Gulper Nozzle

613011 100mm 4 metre Polyurethane Vacuum Hose

0000-12 100mm-32mm Reducer Cap



607384

607384 51mm Accessory Kit

1 x 4mtr Hiloflex Vacuum Hose 1 x 152mm Brush (stiff)

1 x S/S 51mm Floor Gulper

1 x 400mm Brush Nozzle



607332

607332 38mm Accessory Kit

1 x 2.4mtr 38mm Vacuum Hose 1 x ABS Crevice Tool


1 x 3 piece S/S Wand Set

1 x 65mm Brush

1 x 400mm Brush/Rubber Nozzle



612001



604150



604020

Additional Accessories

612001 "Extractopac" Auto/Manual Cable Reel

604150 120 Litre Disposable Bag

604020 NVM 5BH "HEPAFLO" Filter Bags (10)



604128



604138



604310

Additional Filtration

604128 HEPA Filter Module for Improved Filtration

604138 Two Stage Filter Set

604310 Secondary "Microtex" Filter

Specialised Fine Dust Vacuum Range

- 16) SS 350 Fine Dust Vacuum
- 17) SS 350 Optional Upgrades



- 18) SSMF 350 Fine Dust Vacuum
- 19) SSMF 350 Optional Upgrades

- 20) SS 750 Fine Dust Vacuum
- 21) SS 750 Optional Upgrades



- 22) SSTD 750 Fine Dust Vacuum
- 23) SSTD 750 Optional Upgrades



- 24) SSTT1500 Fine Dust Vacuum
- 25) SSTT 1500 Optional Upgrades



SS 350 Fine Dust Vacuum



Description

Designed for fine dust separation, coupled with reliability, the SS 350 is sure to provide the answer. A proven track record of 15 years of industrial operation has made this vacuum a valuable cleaning companion. The vacuum is able to separate finer dusts from coarse particles making it useful for recycling purposes.

A single "Twinflo" vacuum motor provides outstanding performance, something that can be controlled by the hi/lo power setting making this one of the most versatile vacuums on the market. That's not all; the power head is fitted with a "Nucable" plugged replaceable cable system and integral blower attachment, what more can we say!

The "three stage" filtration package consists of a "HEPA-FLO" disposable bag, "Tritex" filter and a "Microtex" filter all of which ensure the highest of filtration levels. Versatility is all too important, which is why the SS350 is able to accept hose sizes from 51mm to 32mm via the "cyclonic" entry fitted to the lower drum assembly. The vacuum is supplied with a kit A1 and is therefore ready for use straight out of the box.

Specifications

Power; 1200 watts (max). Airflow; 45 litres/second. Suction; 2600mm.
Capacity 10/10 Litres. Cleaning range; 26.8 metres. Weight; 16.4Kg
Size; 840mm x 470mm x 350mm. Decibel level; 65.7DBA



Kit A1

Kit Contents

1 x 2.4mtr Vacuum Hose, 1 x S/S 3 Piece Wand Set,
1 x 32mm Combination Floor Tool, 1 x Tool Adaptor,
1 x 240mm Crevice Tool, 1 x 65mm Soft Dusting Brush,
1 x 150mm Upholstery Nozzle, 1 x 150mm Slide on Brush.

SS 350 Fine Dust Vacuum Optional Upgrades

(Please see current price list if wishing to purchase the below items)



607332

Additional Accessory Kit 38mm (607332)

- 1 X 2.4mtr 38mm Hose
- 1 x 3 Piece S/S Wand Set
- 1 x 400mm Brush/Rubber Nozzle
- 1 x 65mm Soft Brush
- 1 x 305mm Crevice tool



607348

Additional Accessory Kit 38mm (607348)

- 1 x 2.4mtr 38mm Hose
- 1 x HEPA-FLO Bags (10)
- 1 x 20 Disposable Bags (roll)
- 1 x 152mm Rubber Brush
- 1 x 65mm Dusting Brush
- 1 x 305mm S/S Crevice tool
- 1 x 305mm ABS Crevice tool
- 1 x Tritex Filter



604151




604177



604126

Additional Accessories

- 604151 Air Diffuser for Power Head
- 604177 Hose Carrier (fits to head assembly)
- 604126 HEPA Filter Module for Improved Filtration



601179



604016



217067

Additional Accessories

- 601179 300mm 90 degree Rubber Nozzle With Brush
- 604016 NVM 2BH "HEPA-FLO" Filter Bags (10)
- 217067 Conical Step Down Adaptor



604165



604170



604309

Additional Filtration

- 604165 Tritex Filter
- 604170 Microfresh Odour Control Filter
- 604309 Secondary Microtex Filter

SSMF 350 Fine Dust Vacuum



Description

Upgraded filtration can sometimes prove to be a valuable addition when cleaning in problem areas, the inclusion of a "Hepa" module in the SSMF 350 provides a higher level of filtration than any standard vacuum, a valuable addition in today's cleaning environment.

A single "Twinflo" vacuum motor provides outstanding performance, something that can be controlled by the Hi/Lo power setting making this one of the most versatile vacuums on the market. That's not all; the power head is fitted with a "Nucable" plugged replaceable cable system and integral blower attachment, what more can we say!

The "three stage" filtration package consists of a "HEPA" filter module, "Tritex" filter and a HEPA-FLO disposable bag, all of which ensure the highest of filtration levels.

Versatility is all too important, which is why the SSMF350 is able to accept hose sizes from 51mm to 32mm via the "cyclonic" entry fitted to the lower drum assembly. The vacuum is supplied with a kit A1 and is therefore ready for use straight out of the box.

Specifications

Power; 1200 watts (max). Airflow; 45 litres/second. Suction; 2600mm. Filtration; HEPA upgrade. Capacity 10/10 Litres. Cleaning range; 26.8 metres. Weight; 18.6 Kg. Size; 890mm x 470mm x 350mm. Decibel level; 65.7DBA



Kit A1

Kit Contents

1 x 2.4mtr Vacuum Hose, 1 x S/S 3 Piece Wand Set, 1 x 32mm Combination Floor Tool, 1 x Tool Adaptor, 1 x 240mm Crevice Tool, 1 x 65mm Soft Dusting Brush, 1 x 150mm Upholstery Nozzle, 1 x 150mm Slide on Brush.

SSMF 350 Fine Dust Vacuum Optional Upgrades

(Please see current price list if wishing to purchase the below items)



607332

Additional Accessory Kit 38mm (607332)

- 1 X 2.4mtr 38mm Hose
- 1 x 3 Piece S/S Wand Set
- 1 x 400mm Brush/Rubber Nozzle
- 1 x 65mm Soft Brush
- 1 x 305mm Crevice tool



607348

Additional Accessory Kit 38mm (607348)

- 1 x 2.4mtr 38mm Hose
- 1 x HEPA-FLO Bags (10)
- 1 x 20 Disposable Bags (roll)
- 1 x 152mm Rubber Brush
- 1 x 65mm Dusting Brush
- 1 x 305mm S/S Crevice tool
- 1 x 305mm ABS Crevice tool
- 1 x Tritex Filter



604151




604177



601149

Additional Accessories

- 604151 Air Diffuser for Power Head
- 604177 Hose Carrier (fits to head assembly)
- 601149 3mtr Hiloflex Vacuum Hose (32mm)



601179



604016



217067

Additional Accessories

- 601179 300mm 90 degree Rubber Nozzle With Brush
- 604016 NVM 2BH "HEPA-FLO" Filter Bags (10)
- 217067 Conical Step Down Adaptor



604165



604170



604309

Additional Filtration

- 604165 Tritex Filter
- 604170 Microfresh Odour Control Filter
- 604309 Secondary Microtex Filter

SS 750 Fine Dust Vacuum



Description

Larger capacity can sometimes make a difference, the SS 750 takes this into account and has been developed for use in environments where larger amounts of waste are created. The vacuum is able to separate finer dusts from course particles making it useful for recycling purposes such as shot blasting.

A single "Twinflo" vacuum motor gives outstanding performance making the vacuum suitable for a whole host of applications. Each vacuum comes complete with a "Permatex" filter giving a filtration level down to "0.5 microns" which is further enhanced by the included pack of "HEPA-FLO" disposable bags.

The vacuum is ideally suited for use with a 32mm hose but can accept hose sizes up to 51mm via the cyclonic entry fitted to the lower drum assembly. A basic kit is supplied which is ideal for connecting to small hand held power tools such as wall chasers. The supplied kit makes the vacuum ready for immediate use however further accessories can be added to enhance the vacuums capabilities.

Specifications

Power; 1200 watts (max). Airflow; 45 litres/second. Suction; 2600mm.

Capacity 15/35 Litres. Cleaning range; 26.8 metres.

Weight; 23.2 Kg. Size; 1010mm x 500mm x 490mm. Decibel level; 70.02 DBA

Kit Contents

- 1 x 601149 2.4mtr 32mm Hiloflex Vacuum Hose
- 1 x 217067 Step Down Adaptor
- 1 x 604017 HEPA-FLO Bags (10)



601149



217067



604017

SS 750 Fine Dust Vacuum Optional Upgrades

(Please see current price list if wishing to purchase the below items)



607332

Additional Accessory 38mm (607332)

- 1 X 2.4mtr 38mm Hose
- 1 x 3 Piece S/S Wand Set
- 1 x 400mm Brush/Rubber Nozzle
- 1 x 65mm Soft Brush
- 1 x 305mm Crevice tool



607348

Additional Accessory Kit 38mm (607348)

- 1 x 2.4mtr 38mm Hose
- 1 x HEPA-FLO Bags (10)
- 1 x 20 Disposable Bags (roll)
- 1 x 152mm Rubber Brush
- 1 x 65mm Dusting Brush
- 1 x 305mm S/S Crevice tool
- 1 x 305mm ABS Crevice tool
- 1 x Tritex Filter



604178



602924



602926

Additional Accessories


- 604178 Hose Carrier (fits to head assembly)
- 602924 610mm S/S Gulper/Scraper Tool
- 602926 610mm S/S Crevice Tool



604138



604310



604127

Additional Filtration

- 604138 Two Stage Filter Set
- 604310 Secondary "Microtex" Filter
- 604127 HEPA Filter Module for Improved Filtration



612001



604151



604017

Additional Accessories

- 612001 "Extractopac" Auto/Manual Cable Reel
- 604151 Air Diffuser for Power Head
- 604017 NVM 3BH "HEPAFLO" Filter Bags (10)

SSTD 750 Fine Dust Vacuum



Description

Large capacity coupled with “double the power” are just two of the features that make the SSTD 750 the ideal companion for multiple cleaning tasks. The vacuum is able to separate finer dusts from coarse particles making it useful for recycling purposes such as shot blasting.

Two “Twinflo” vacuum motors give an outstanding performance making the vacuum suitable for a whole host of applications. Each vacuum comes complete with a “Filtrex” primary filter and secondary “Permatex” filter giving a filtration level down to “0.5 microns” which is further enhanced by the included pack of “HEPA-FLO” disposable bags.

The vacuum is ideally suited for use with a 32mm hose but can accept hose sizes up to 51mm via the cyclonic entry fitted to the lower drum assembly. A basic kit is supplied which is ideal for connecting to small hand held power tools such as wall chasers. The supplied kit makes the vacuum ready for immediate use however further accessories can be added to enhance the vacuums capabilities.

Specifications

Power; 2400 watts (max). Airflow; 80 litres/second. Suction; 2600mm.

Capacity 15/35 litres. Cleaning range; 26.8 metres. Weight; 30.3 kg.

Size; 1010mm x 500mm x 490mm. Decibel level; 72.7 DBA



601149



217067



604017

Kit Contents

1 x 601149 3.0mtr 32mm Hiloflex Vacuum Hose

1 x 217067 Step Down Adaptor

1 x 604017 HEPA-FLO Bags (10)

SSTD 750 Fine Dust Vacuum Optional Upgrades

(Please see current price list if wishing to purchase the below items)



607384

607384 51mm Accessory Kit

1 x 4mtr Hiloflex Vacuum Hose 1 x 152mm Brush (stiff)
 1 x S/S 51mm Floor Gulper
 1 x 400mm Brush Nozzle



607348

607348 38mm Accessory Kit

1 x 2.4mtr 38mm Hose 1 x 65mm Dusting Brush
 1 x HEPA-FLO Bags (10) 1 x 305mm S/S Crevice tool
 1 x 20 Disposable Bags (roll) 1 x 305mm ABS Crevice tool
 1 x 152mm Rubber Brush 1 x Tritex Filter



604227



604178



603918

Additional Accessories


604227 Clip on Chassis (fits to base of drum)
 604178 Hose Carrier (fits to head assembly)
 603918 610mm S/S Gulper/Scraper Tool



604138



604310



604127

Additional Filtration

604138 Two Stage Filter Set
 604310 Secondary "Microtex" Filter
 604127 HEPA Filter Module for Improved Filtration



612001



604151



604019

Additional Accessories

612001 "Extractopac" Auto/Manual Cable Reel
 604151 Air Diffuser for Power Head
 604019 NVM 4BH "HEPAFLO" Filter Bags (10)

SSTT 1500 Fine Dust Vacuum



Description

When it comes to quality and reliability coupled with unrivalled performance, there is nothing better than an environmentally friendly rubble munching SSTT1500. With a proven track record of 14 years of industrial operation, the vacuum is more than capable of munching its way through “rubble piles” coupled with a unique dust separation chamber; the vacuum is able to cope with a whole host of demanding tasks.

The industrial rated three motor power head packs a real punch, utilising high power “By-pass” motors to deliver huge amounts of airflow while retaining high levels of suction; all of which can be controlled with individual switching for each motor.

The filtration “four pack” consists of a primary red “Filtrex” filter and a secondary “Permatex” filter which is fitted under the power head, this combined with a primary “HEPA-FLO” filter bag and a secondary “re-usable” bag fitted in the upper dust collection drum, ensure the highest of filtration levels. When it comes to versatility the SSTT 1500 is capable of accepting a total of five different sizes of hose, utilising twin integral cyclonic entries as standard. A vacuum that makes a real difference!

Specifications

Power; 3600 watts (max). Airflow; 120 litres/second. Suction; 2600mm.

Capacity 30/50 litres. Cleaning range; 26.8 metres. Weight; 46.6 Kg.

Size; 1010mm x 615mm x 530mm. Decibel level; 89.3 DBA



603101



603116



603431

607370 Kit Contents

1 x 603101 2.5mtr 51mm Vacuum Hose

1 x 603116 One Piece Floor Wand

1 x 603431 40mm Brush Nozzle

SSTT 1500 Fine Dust Vacuum Optional Upgrades

(Please see current price list if wishing to purchase the below items)

			<p style="text-align: center;"><u>Additional 100mm Accessories</u></p> <p>613001 4 mtr 100mm Vacuum Hose 613011 100mm 4 metre Polyurethane Vacuum Hose 613027 100mm Gulper Nozzle</p>
			<p style="text-align: center;"><u>Additional 76mm Accessories</u></p> <p>608001 76mm 3mtr Vacuum Hose 608015 76mm-51mm Reducer 608027 76mm Gulper Nozzle</p>
			<p style="text-align: center;"><u>Additional 51mm Accessories</u></p> <p>603140 152mm Rubber Brush with Soft Bristles 603142 130mm Rubber Gulper Nozzle 603919 305mm S/S Crevice Tool</p>
			<p style="text-align: center;"><u>Additional Filtration</u></p> <p>604139 Two Stage Filter Set 604114 Secondary "Permatex" Filter 604131 Zipper Cloth Bag</p>
			<p style="text-align: center;"><u>Additional Accessories</u></p> <p>604151 Air Diffuser for Power Head 604019 NVM 4BH "HEPAFLO" Filter Bags (10) 0000-12 100mm-32mm Reducer Cap</p>